日本香粧品学会誌 Vol. 43, No. 1, pp. 24-27 (2019)

〈教育セミナー〉

第43回教育セミナー(2018)・「健やかな肌を保つ―エイジングケア最前線―」

抗シワ医薬部外品成分の開発

楊 一幸*

Development of a Quasi-Drug Ingredient for Anti-Wrinkle

Kazuyuki YO*

Abstract

With the progressive aging of society, anti-aging cosmetics with high efficacy are strongly demanded. Since wrinkles in particular are well known to influence an aged appearance, cosmetic companies have made huge efforts at developing anti-wrinkle products. However, there were no standardized, objective methods for evaluating wrinkles. To establish a method for evaluating wrinkles, the Japanese Cosmetic Science Society organized a task force committee and published the "Guideline for evaluation of anti-wrinkle products" in 2006. We herein review an anti-wrinkle ingredient whose effect was examined using this guideline. In addition, a detailed explanation of the molecular mechanism to demonstrate an anti-wrinkle effect is also required by the Japanese Ministry of Health, Labour and Welfare for all quasi-drug ingredients. We found that neutrophils, the most abundant white blood cells in mammals, localized constitutively in the skin around the outer corner of the eye, a site at which wrinkles are likely to form. Neutrophil elastase (NE), a serine protease secreted by neutrophils, has a broad substrate specificity, including collagen, elastin, and proteoglycans. Given the role of NE for digesting the extracellular matrix, NE inhibition appears to be a promising target for anti-wrinkle treatments. We found that the NE inhibitor NEI-L1 has a strong NE inhibitory effect and also improves wrinkles, suggesting that NE inhibitors will prove to be novel and effective anti-wrinkle treatments.

Key words: anti-wrinkle, guideline for evaluation of anti-wrinkle products, neutrophil elastase, NEI-L1.